920569-905833

MAIL STOP AF

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE THE APPLICATION	N OF)
) Examiner: Joseph E. Avellino
Kermarec, et al.)
) Group Art Unit: 2143
SERIAL NO.: 10/054,207)
) Customer Number: 23644
FILED: January 22, 2002)
)
FOR: Methods of Establish	hing Virtual Circuits and	1)
of Providing a Virtu	al Private Network)
Service Through a S	hared Network, and)
Provider Edge Devidence	ce For Such)

RESPONSE TO FINAL OFFICE ACTION DATED OCTOBER 4, 2006

Honorable Director of Patents and Trademarks P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

This response is being filed responsive to the final Office Action dated October 4, 2006. No claim amendments have been made since, it is submitted again, that no claim amendments are required.

In the final Office Action, the Examiner has simply repeated the rejections of the May 15, 2006 Office Action, and the balance of this response, after these initial comments, provides essentially the same response which, it is submitted, is quite clearly in order.

In the final Office Action of October 4, 2006, the Examiner, in numbered section 15, asserts that the applicants have attacked the references individually, when the Examiner was applying a combination of Jain in view of Bryden. It is simply not the case that the applicants have attacked the references individually. As made clear in the first full paragraph on page 4 of the response dated August 15, 2006, this is not the case:

It is true that Bryden discloses a method for allocating virtual circuits in a communication network. However, Bryden does not disclose the other above-

mentioned aspects that Jain fails to teach. Therefore, one skilled in the art would not be led to the subject-matter of claim 20 of the present application even when combining the teachings of Bryden with the teachings of Jain.

From the above, it is clear that although the Applicants address both the Jain and Bryden references, the Applicants explained that Bryden suffers the same deficiencies as Jain. Thus, a combination of the teachings of the two references, where each has the same deficiencies, would provide nothing further. When the features of a claim are not disclosed individually by each one of two different references, then, naturally, there can be nothing further by the combination of the teachings of the two references. As fully explained in the response of August 15, 2006, some of the features of the independent claims are disclosed by neither Jain nor Bryden, and thus cannot be taught by a combination of the references when each is lacking.

The remaining portions of this response, therefore, in order to be fully responsive, are directed to what has already been set forth in the response of August 15, 2006.

The Examiner entered a new rejection of the claims of the application in the Office Action of May 15, 2006, this time with independent claim 20, and most of the remaining claims, being rejected under 35 U.S.C. §103 as being unpatentable over Jain U.S. Patent No. 6,765,914 in view of Bryden U.S. Patent No. 6,717,944. Reconsideration is again requested.

Jain discloses a method for configuring subnets within a network architecture having a plurality of switches and a router coupled together by a shared bus (see preamble of claim 1). This configuration is said to be flexible because it is irrespective of device boundaries of the switches (col. 3, line 67 – col. 4, line 2). As an example, subnet 401 comprises hosts coupled to different switches (col. 4, lines 22-29 and Fig. 4).

To this end, Jain teaches to map each subnet with one respective VLAN designated by a VLAN ID (col. 4, lines 48-52). Then, the VLAN ID is stored in the egress list of each local switch port coupled to a member host of the VLAN-defined subnet (col. 4, lines 54-58) and also of each bus connecting switch port of each switch coupled to a member host (col. 4, lines 59-61). Once such configuration steps have been achieved, packets can be routed between

hosts within the network based on the VLAN ID and the destination MAC address they include (col. 5, line 31 – col. 6, line 27 and Fig. 7).

To put it briefly, Jain thus discloses a configuration method comprising defining one or more subnets each associated with one respective VLAN.

Claim 20 of the present application recites very different subject-matter, namely a method for providing a virtual private network (VPN) service through a shared network infrastructure, in which some of the CE interfaces are allocated to a VPN supporting a plurality of virtual local area networks (VLANs).

To achieve this, the method of claim 20 recites the establishment of at least one virtual circuit in the shared network infrastructure, in order to allow transmission between CE interfaces allocated to a given VPN and belonging to two PE devices corresponding to a common VLAN identifier.

In this way, a set of point-to-multipoint connections is automatically established in a given VPN, without the need of manual configuration to be carried out, as explained in the specification of the present application (see e.g. paragraph [0024]).

According to the office action, the applicants understand that the Examiner considers that the network architecture 100 of Jain would be a shared network infrastructure, the hosts would be CE devices, the switches 120, 130, 140 would PE devices, the subnets 401-403 would be respective VLANs within a single VPN (although the expression "VPN" is never used in Jain and rather the whole network architecture 100 is said to be preferably included in a chassis).

However, according to claim 20 of the present application, correspondence between each CE interface and a VLAN identifier is automatically learned from the VLAN identifier included in at least one tagged frame received from a CE device at each CE interface (step 1). Then, it is detected whether a pair of CE interfaces belonging to two PE devices corresponds to a common VLAN identifier (step 2). Finally, in response to such detection, at least one virtual circuit is established in the shared network infrastructure between said two PE devices, for forwarding frames including said common VLAN identifier.

By contrast, as mentioned above, Jain discloses a configuration method for defining subnets within a network. For this configuration, one VLAN ID is specifically defined for use in each host-switch interface of a given subnet (col. 4, lines 48-52). This configuration is thus "manual", i.e. it results from the choice of a VLAN ID for a respective subnet. Before this configuration step, no VLAN ID is included in any frame that may be received from a host. Consequently, no correspondence between each host-switch interface and a VLAN ID is automatically learned depending on a VLAN ID that would be received at a switch from a host.

Moreover, in the method of Jain, there is no need to detect whether a pair of host-switch interfaces belonging to two different switches would correspond to a common VLAN ID so as to establish a virtual circuit in the shared network infrastructure between two switches. On the contrary, as soon as the above-mentioned configuration step is completed, a packet sent by a sending host can be routed to a destination host based on the MAC address of the destination host. If the destination MAC address (and not the VLAN ID as mentioned by the Examiner) does not belong to a local switch port, the packet is forwarded to the switch's bus connecting port, then to the bus and it is retrieved by all other switches before being accepted by the destined switch based on the destination MAC address (steps 710, 730, 735, 740 and 750).

Therefore, it is true, as noted by the Examiner, that the connection of a virtual circuit in the shared network infrastructure is not taught by Jain. But the establishment of a connection in the shared network infrastructure <u>in response to the detection</u> of whether a pair of CE interfaces belonging to two PE devices correspond to a common VLAN ID is not disclosed by Jain, either.

Due to these numerous differences (manual configuration rather than correspondence learning, absence of detection of whether a pair of interfaces belonging to two different switches would correspond to a common VLAN ID and absence of establishment of a connection in the shared network infrastructure in response to such detection), Jain cannot be considered as a basis from which one skilled in the art could result in the subject-matter of claim 20 of the present application.

The subject-matter of Claim 20 is thus new and non-obvious in view of Jain even in view of

Bryden. The same applies to Claim 49 for the same reasons. The other claims, 21-33 and 50-

58, are allowable as well, in particular since they depend on Claim 20 or 49 directly or

indirectly.

Since three office actions have already been issued for this case and overcome, it is

respectfully requested that the application now be allowed.

Concerning the comments relating to the supposedly broad language employed in the claims,

applicants do not see why the claims should be given a narrower interpretation than the one

usually adopted in the art. VPN, VLAN, PE/CE devices in particular refer to very well known

elements in the art. Giving these terms a narrower interpretation would not only be

inequitable, but it is submitted that such an interpretation would also be in contravention with

the common knowledge in the art.

If the Examiner intends to maintain his position regarding breadth, he is respectfully

requested to clearly state what exact term he considers as too broad and the reason why he

does so, so that a proper refutation and or appropriate amendment can be made to overcome

the rejection if necessary. However, as just noted, it is submitted that the claim terminology

is both clear and not over-broad.

Given the above, the Applicants continue to submit that this application is in condition for

allowance, and the Examiner's further and favorable reconsideration in that regard is urged.

December 4, 2006

Respectfully submitted,

William M. Lee, Jr.

Registration No. 26,935

Barnes & Thornburg

P.O. Box 2786

Chicago, Illinois 60690-2786

(312) 214-4800

(312) 759-5646 (fax)

CHDS01 WLEE 368292v1

5